

1. [Targeted inactivation of nuclear interaction partner of ALK \(NIPA\) disrupts meiotic prophase](#)

Illert A, Kawaguchi H, Antinozzi C, Bassermann F, Quintanilla-Martinez L, von Klitzing C, Hiwatari M, Peschel C, de Rooij DG, Morris SV, **Barchi M**, Justus Duyster.

Development, in press

2.

[Meiotic double strand breaks repair in sexually reproducing eukaryotes: We are not all equal.](#)

La Volpe A, **Barchi M**.

Exp Cell Res. 2012 Jul 15;318(12):1333-9. Epub 2012 Mar 27.

3.

[Homology-directed Fanconi anemia pathway cross-link repair is dependent on DNA replication.](#)

Nakanishi K, Cavallo F, Perrouault L, Giovannangeli C, Moynahan ME, **Barchi M**, Brunet E, Jasin M.

Nat Struct Mol Biol. 2011 Apr;18(4):500-3. Epub 2011 Mar 20.

4.

[Sam68 marks the transcriptionally active stages of spermatogenesis and modulates alternative splicing in male germ cells.](#)

Paronetto MP, Messina V, **Barchi M**, Geremia R, Richard S, Sette C. Nucleic Acids Res. 2011 Jul;39(12):4961-74. Epub 2011 Feb 25.

5.

[Distinct properties of the XY pseudoautosomal region crucial for male meiosis.](#)

Kauppi L, **Barchi M**, Baudat F, Romanienko PJ, Keeney S, Jasin M. Science. 2011 Feb 18;331(6019):916-20.

6.

[Expression of a truncated form of KIT tyrosine kinase in human spermatozoa correlates with sperm DNA integrity.](#)

Muciaccia B, Sette C, Paronetto MP, **Barchi M**, Pensini S, D'Agostino A, Gandini L, Geremia R, Stefanini M, Rossi P. Hum Reprod. 2010 Sep;25(9):2188-202. Epub 2010 Jul 3.

7.

[Isolation and analyses of enriched populations of male mouse](#)

Last update June 2012

germ cells by sedimentation velocity: the centrifugal elutriation.

Barchi M, Geremia R, Magliozi R, Bianchi E.

Methods Mol Biol. 2009;558:299-321. Review.

8.

Sam68 regulates translation of target mRNAs in male germ cells, necessary for mouse spermatogenesis.

Paronetto MP, Messina V, Bianchi E, **Barchi M**, Vogel G, Moretti C, Palombi F, Stefanini M, Geremia R, Richard S, Sette C.

J Cell Biol. 2009 Apr 20;185(2):235-49.

9.

ATM promotes the obligate XY crossover and both crossover control and chromosome axis integrity on autosomes.

Barchi M, Roig I, Di Giacomo M, de Rooij DG, Keeney S, Jasin M. PLoS Genet. 2008 May 23;4(5):e1000076.

10.

Bub1 maintains centromeric cohesion by activation of the spindle checkpoint.

Perera D, Tilston V, Hopwood JA, **Barchi M**, Boot-Handford RP, Taylor SS.

Dev Cell. 2007 Oct;13(4):566-79.

11.

Mutations that affect meiosis in male mice influence the dynamics of the mid-preleptotene and bouquet stages.

Liebe B, Petukhova G, **Barchi M**, Bellani M, Braselmann H,

Nakano T, Pandita TK, Jasin M, Fornace A, Meistrich ML,

Baarends WM, Schimenti J, de Lange T, Keeney S, Camerini-

Otero RD, Scherthan H.

Exp Cell Res. 2006 Nov 15;312(19):3768-81. Epub 2006 Aug 2.

12.

Surveillance of different recombination defects in mouse spermatocytes yields distinct responses despite elimination at an identical developmental stage.

Barchi M, Mahadevaiah S, Di Giacomo M, Baudat F, de Rooij DG, Burgoyne PS, Jasin M, Keeney S.

Mol Cell Biol. 2005 Aug;25(16):7203-15.

13.

Distinct DNA-damage-dependent and -independent responses drive the loss of oocytes in recombination-defective mouse mutants.

Last update June 2012

- Di Giacomo M, **Barchi M**, Baudat F, Edelmann W, Keeney S, Jasin M.
Proc Natl Acad Sci U S A. 2005 Jan 18;102(3):737-42. Epub 2005 Jan 7.
14. [Collaboration of homologous recombination and nonhomologous end-joining factors for the survival and integrity of mice and cells.](#)
Couëdel C, Mills KD, **Barchi M**, Shen L, Olshen A, Johnson RD, Nussenzweig A, Essers J, Kanaar R, Li GC, Alt FW, Jasin M. Genes Dev. 2004 Jun 1;18(11):1293-304.
15. [Male infertility due to germ cell apoptosis in mice lacking the thiamin carrier, Tht1. A new insight into the critical role of thiamin in spermatogenesis.](#)
Oishi K, **Barchi M**, Au AC, Gelb BD, Diaz GA. Dev Biol. 2004 Feb 15;266(2):299-309.
16. [Seeking new meiotic genes.](#)
Barchi M, Jasin M.
Proc Natl Acad Sci U S A. 2003 Dec 23;100(26):15287-9. Epub 2003 Dec 15.
17. [Control of meiotic and mitotic progression by the F box protein beta-Trcp1 in vivo.](#)
Guardavaccaro D, Kudo Y, Boulaire J, **Barchi M**, Busino L, Donzelli M, Margottin-Goguet F, Jackson PK, Yamasaki L, Pagano M. Dev Cell. 2003 Jun;4(6):799-812.
18. [Prolin-rich tyrosine kinase 2 \(PYK2\) expression and localization in mouse testis.](#)
Chieffi P, **Barchi M**, Di Agostino S, Rossi P, Tramontano D, Geremia R. Mol Reprod Dev. 2003 Jul;65(3):330-5.
19. [Tr-kit-induced resumption of the cell cycle in mouse eggs requires activation of a Src-like kinase.](#)
Sette C, Paronetto MP, **Barchi M**, Bevilacqua A, Geremia R, Rossi P. EMBO J. 2002 Oct 15;21(20):5386-95.
20. [HMGA1 and HMGA2 protein expression in mouse spermatogenesis.](#)

Last update June 2012

Chieffi P, Battista S, **Barchi M**, Di Agostino S, Pierantoni GM,
Fedele M, Chiariotti L, Tramontano D, Fusco A.
Oncogene. 2002 May 16;21(22):3644-50.